Using the TCS Horizons Interface -- Information for TOs

Instruments

Instrumentation M ain Page

Facility Instruments:

LDT Observer Information Home

Facility

Quick Links

Instrumentation Applying for Observing Time

Observing Run Planning

At the Telescope (Printable Logsheets)

Target of **Opportunity (ToO)** Policies

After Your **Observing Run**

First-Time Users

Logistics

LDT Important Notes

	Large Monolithic Imager (LMI)		
acility	DeVeny Optical Spectrograph	/ Observing Planning	At the Telescope
LDT Science Schedule	NIR Spectrograph	Applying for Observing Time	Observing Quick Links
LDT Staff	(NIHTS)	 Planning Checklist 	Target of Opportunity (ToO Policios)
Telescope	<u>Visitor / PI</u> Instruments:	Remote Observing	Remote Observing
Weather	High-Res Spectrograph (EXPRES)	Target of Opportunity (ToO) Policies	LDT Startup Procedures
Acknowledging LDT	Speckle Imager	Target Lists	Closure Conditions
Selected	(QWSSI)	First-Time Users	Night Feedback Form
Publications	High Speed Imager (POETS)	Logistics	End of Night Tasks
	NIR Spectrograph (RIMAS)		
	User Manuals:	_	
	LMI Manual		

DeVeny Manual

NIHTS Manual

Access

The Horizons interface is accessed via the DCT panel of the TCS.

For Visiting Astronomers ∕!\

This interface is accessed by the TO, there is no access to it from the instrument control computer (dct-obs1 /dct-obs2). Please communicate with your TO regarding any ephemeris data files you would like created. The process is vastly quicker if you provide an Horizons Object ID number rather than an object name.

This can be a lengthy process, depending upon how much data is required and the search parameters used. It is recommended that all data is created at the beginning of the night, ideally before sunset.

Description

This interface allows one to create a file of ephemeris data containing columns for UT Date and Time, RA and Dec. Thus allowing for the tracking of ephemeris targets by the TCS.

The interface has two panels "Control & Operation" and "Workings". For the purposes of getting data for Science targets during normal nightly operations the "Workings" tab is not required and thus will not be covered in this document.

🚓 horizonsDataGatherer.vi	23
Control & Operation Workings	Horizons Ephemeris Data Gatherer
 Instructions 1. In 'Ephemeris File Name' enter the filename to be used to store ephemeris data. 2. In 'Horizons Object ID or name ' enter the Horizons object identifier or name for which ephemeris data is to be gathered. 3. Using 'Search in:' specify in which category the Horizons object should be searched. Select 'Small bodies' for searching for comets and asteroids. 4. Using 'Start Year/Month/Day/Hour/Minute' specify the start time in UTC needed for the ephemeris data, 'Horizons Start Time' will show time entered as it will be passed to Horizons system. 5. Using 'End Year/Month/Day/Hour/Minute' specify the end time in UTC needed for the ephemeris data, 'Horizons End Time' will show time entered as it will be passed to Horizons system. 6. In 'Horizons Output Step' enter the Horizons output step for the ephemeris data. 7. Using 'Read Data Timeout' set the timeout to be used to gather the ephemeris data - a longer timeout will be required if gathering data for a longer duration observation and/or with many output steps. 8. Press the button 'Get Ephemeris data from Horizons' to connect to Horizons and get requested data. See Horizons manual at http://ssd.jpl.nasa.gov/?horizons for detailed information on Horizons' parameters. Ephemeris File Name 	Get Ephemeris data from Horizons Forizons Connection Open Horizons Session Off (km^3/s^2) = 42828.375214 Mass vatio (Sun/Mars) = 3098703.59 Off (km^3/s^2) = 42828.375214 Mass vatio (Sun/Mars) = 3098703.59 Off (lsm^3/s^2) = 42828.375214 Mass of atmosphere, kg=~2.5 x 10^16 Mean temperature (R) = 210 Atmos. pressure (bar) = 0.0056 Dbliquity to orbit = 25.19 deg Hax. angular diam. = 17.9° Mean sidereal orb per = 1.88081578 y Visual mag. V(1.0) = -1.52 Mean sidereal orb per = 686.98 d Orbital speed, km/s = 24.13 Hill's sphere rad. Rp = 319.8 Escape speed, km/s = 5.027 Perihelion Aphelion Mean Solar Constant (W/m^2) 117 493 589 Maximum Planetary IR (W/m^2) 410 315 390 30 Minimum Planetary IR (W/m^2) 30 30 30 30 Select [E]phemeris, [Fltp, [M]ail, [R]edisplay, ?, <or> Age of geodetic input [c,g] : Geodetic Input units must be DEGREES and KILCMETERS Specify geodetic (E. Long, lat, h] : -111.4223 34.7443 2.361 Starting UT [>= 1600-Jan-01 23:59] : 2020-Jan-14 13:12 Ending UT [<= 2500-Jan-02 23:80] :</or>
Horizons Object ID or name 499 E.g. 499 for Mars, 999 for Pluto Search in: All bodies Start Year Start MonthStart Day Start HourStart Minute 2020 Jan Alt 13 Horizons Start Time 2020-Jan-14 13:12 End Year End Month End Day End HourEnd Minute 2020 Jan Alt 14 Horizons End Time 2020-Jan-14 14:12 Horizons Output Step Output Co-ords 2m E.g. 10m, 1h, 1d, etc Read Data Timeout 5 (s)	Horizons Ephemeris Data Collected Ephemeris Data File Created Ephemeris File Create Information If file was not created successfully view output from Horizons in 'Horizons Session' and ensure session was terminated successfully. If this was not the case increase 'Read Data Timeout' and try again.

Control & Operation

This panel contains several windows and sections, which we shall discuss here separately.

Instructions & Data Entry

In this section of the window instructions for the use of the interface are given

1. In the 'Ephemeris File Name' enter the filename to be used to store ephemeris data.

Ephemeris File Name

Avoid using the symbols: | < > |: *? " in the file name, as they are not allowed in Windows file names, and will cause an error writing the file (Horizons will collect the ephemeris data, but will not save the file and the green "Ephemeris Data File Created" indicator will not light up)

These files will be written to C:\Program Files\OSL\v1.8.0\builds\DCT\TCS\data\ephem

You cannot enter a different path in the file name - If you need to put the ephemeris file in a different location, create it in the default location and then copy it to wherever you like, but the ephemeris can only be used in TCS from the \data\ephem folder.

2. In 'Horizons Object ID or name' enter the Horizons object identifier or name for which the ephemeris data is to be gathered.

Horizons Object ID or name

Can enter either a 6 digit Horizons object identifier (rec #) or the objects name (i.e., 2P or 2014 RC).

If using an Horizons Object ID be aware that orbits are updated regularly, thus multiple IDs are available for most objects. It is advisable to double check that the one used is the desired version.

For names that contain years (i.e., 2014 RC) the space between the year and the letter code must be included in order to generate results.

Entering a name will result in additional requirements during the data grab - details will follow.

Using 'Search in:' specify which category the Horizons object should be searched. Select 'Small bodies' for searching for comets and asteroids.

G Search in:

This feature eliminates the accidental call of targets with similar names, for example searching with the name: ison if searching all bodies on produces results for major bodies with names close to the search criteria (i.e, moon Isonoe), but if you search small bodies then you get the results for comet Ison.

Default selection is 'All bodies'.

4. Using 'Start Year/Month/Day/Hour/Minute specify the start time in UTC needed for the ephemeris data, 'Horizon Start Time' will show time entered as it will be passed to the Horizons system.

Start Year/Month/Day/Hour/Minute

Check with the Astronomer if they have a desired start time for the file, else simply ensure that the start time is at or before the start of the desired observation time.

 Using 'End Year/Month/Day/Hour/Minute specify the start time in UTC needed for the ephemeris data, 'Horizon End Time' will show time entered as it will be passed to the Horizons system.

End Year/Month/Day/Hour/Minute

Check with the Astronomer if they have a desired end time for the file, else simply ensure that the end time is at around or after sunrise. In this way your data will last at least the entire night.

6. In 'Horizons Output Step' enter the Horizons output step for the data.

(j)	Horizons Output Step
	Whatever value you enter in this box must also contain the units. Minimum unit size is m (minutes).
	Careful: Too small a time step will result in too large a file, and no file will be created. The time step depends upon the length of the file (UT End - UT Start)
	Default is 2m.

Using 'Read Data Timeout' set the timeout to be used to gather the ephemeris data - a longer timeout will be require if gathering data for a longer duration observation and/or with many output steps.

(j)	Read Data Timeout					
	If data is required spanning several nights/weeks or high time resolution positions are desirable this value should be increased. For most purposes simply increasing the step size is sufficient but this may not always be true.					
	Default is 5.					

8. In 'Output Co-ords' select the reference frame for the output ephemeris data.

(i)	Read Data Timeout
	As of 2020-Feb, TCS allows for ephemeris data from Horizons to be downloaded in either FK5 / J2000 coordinates or Apparent coordinates. The downloaded file contains a line telling TCS the reference frame.
	Default is

9. Press the button 'Get Ephemeris data from Horizons' to connect to Horizons and get the requested data.

Get Ephemeris data from Horizons

Upon depression of this button the 'Horizons Connection Open' led should illuminate - if not check the network connection - and a spinning cursor should appear.

IF you entered a name rather than an ID a dialogue box will appear asking to confirm what you entered. If the comment shows the name you entered (with correct spelling and formatting) pressing YES will proceed. If the format/spelling is incorrect press NO and reenter the name. (This box will appear every time a name is entered and the 'Get Ephemeris data from Horizons' button is depressed – does not appear if an ID # is entered.

8
Continue?
>EXACT< designation search [CASE & SPACE sensitive]: DES = 2P;
Yes No

After pressing yes the Horizons database will be searched for matching records. Upon completion of the search a dialogue box will appear: multiple outcomes result:

i) No record found - The dialogue box indicates that no match was found. Clicking 'Quit' will close the dialogue box. Check that the name entered is formatted correctly (white spaces), or spelled correctly, and that the correct 'Search in' option is selected.

2		83
Reply from Horizons.	2	
Searching *********************** JPL/DASTCOM3 Small-body Comet AND asteroid index search: DES = 2014RC; Matching small-bodies: No matches found.	Index Search Results 2	014-Sep-27 02:45:48
•		4
	Quit	

ii) Single record found - The dialogue box will contain the record details. Choosing YES will create the ephemeris file. Choosing NO will cancel.



iii) Multiple records found - The dialogue box will list all entries found in the database, sorted by record #. It this case the desired record (usually the most recent - but check with the Astronomer) must be searched for. Using Ctrl-c, copy the record #. This is the Horizons ID number. Paste into the appropriate box and rerun the search.

Comet AND Comet AND CES = 2P;	COM3) asteroid :	Small-body index search:	Index Search Re	sults 201	14-Sep-26 05:08:	: 27
Matching Record #	small-bod Epoch-yr	ies: >MATCH DESIG<	Primary Desig	Name		
900034	1786	2P	2P	Encke		
900035	1796	2P	2 P	Encke		
900036	1805	2 P	2 P	Encke		E
900037	1819	2 P	2 P	Encke		-
900038	1822	2P	2 P	Encke		
900039	1825	2 P	2 P	Encke		
900040	1828	2 P	2 P	Encke		
900041	1832	2 P	2 P	Encke		
900042	1835	2 P	2 P	Encke		
900043	1838	2 P	2 P	Encke		
900044	1842	2 P	2P	Encke		
900045	1845	2P	2P	Encke		
900046	1848	2P	2 P	Encke		
900047	1852	2P	2P	Encke		
900048	1855	2.P	2 P	Encke		
900049	1858	2P	2 P	Encke		
900050	1862	2P	21	Encke		
900051	1865	2.P	2₽	Encke		
900052	1868	2.P	2 P	Encke		
900053	1872	2P	2P	Encke		
900054	1875	2P	2P	Encke		
900055	1878	21	21	Encke		
900056	1881	21	21	Encke		
900057	1885	2P	2 P	Encke		
900058	1888	2P	2 P	Encke		
900059	1891	2 P	2P	Encke		
900060	1895	21	21	Encke		
900061	1898	2 P	2 P	Encke		-
•			111			•

In the upper left of the interface we find the Horizons Session window. This window provides the detailed feedback about the current session. After pressing the 'Get Ephemeris data from Horizons' button this window will begin to fill with the details of the telnet session. What appears in this window is governed by how the session progresses and will vary depending upon how the target ID/name was entered/selected. All of the information contained in any of the dialogue boxes will also be contained within the Horizons Session window; however, it also contains additional information, and should you have entered an Horizons Object ID will be the only source of this information. Should any of this information be of interest, once the Horizons Connection has been quit (by completion of a search; successful or otherwise) you may scroll within this window to see all of the information that was output.

Upon completion of a successful data acquisition sequence this window will contain the details of the record, including the solution. It also contains details regarding the systems interaction with the Horizons database search including, for example, the output table defaults. If an older solution is selected you will see the calculation steps as the solution is propagated forward at the end of which you begin to see the output of the typical Horizons interface, amongst which is the computed data and a footnote to the table containing detailed notes about symbols that might appear in the table. The final messages displayed should be the Quit command followed by the JPL ascii art.



Lower Left

The lower left portion of the 'Control & Operation' panel contains the results of the database query.



The Horizons Ephemeris Data Collected window shows the data collected that will form the .eph file used by TCS. The file contains the UT Date, UT Time, RA, and Dec, all of which are shown in this panel. The scroll bar allows you to look through all of the data, providing an easy way to check that the start and end times line up with what is required.

When a database query completes successfully and creates the desired file the Ephemeris Data File Created led will be lit. The small window below this led gives the directory tree for the created file as well as detailing the file size. As stated on the interface if there is a problem in creating the file then the cause of that problem will be stated in this same window.

Sending the Target in TCS

Once the file has been created it will be displayed in the TCS Target Config panel, when the target type Ephemeris is specified. Ephemeris files generated with the TCS Horizons interface will have the reference frame encoded in the last line of the file. Be sure the Frame in the Ephemeris window is set to the same value used when generating the file – but a test on 31 October 2020 indicated that TCS uses the reference frame from the end of the ephemeris file regardless of this setting in the Ephemeris window.

Target Config	Offsets Collimation	Point Origin Point Mo	odel Guide Instrument Name	e 📔 Current Wrap			
Ephemeris Target (Science)							
Ephemer	is File Location						
뭡 C:\Progran	n Files\OSL\DCTrelease	e_v164_oldbuild\builds\D	OCT\TCS\data\ephem				
Files 200 200 201 Enk Palla test	7_VX84.eph 7VX84.eph 7YQ56.eph 4RC.eph e_test.eph as.eph eph eph.eph		× (2)	Frame APPT			
d RA / d	DEC 0 s/sec	o arcsec/sec	Differential track rates those of the Ephemer	are added to ris			
External con preview	nmand 💽	Back to target	Config	Submit			